

# DATA SHEET



## Dual Mounting Plate Vertical (NUMPD92V-H)

### Features

- Dual plate for module with spacer plastic
- Designed for NU-xxx-HE modules
- Covers wall mounting holes of teleCARE M modules
- Designed for modules combined with speech
- Designed for vertical placement of combined modules

## Technical Specifications

### Dual Mounting Plate Vertical

<b>Item</b>	<b>NUMPD92V-H: white (NCS S0300-N)</b>
<b>Material</b>	
Material	PBT/PC enclosure rated UL94-V0
Color	Housing: White (NCS S0300-N)
Dimensions (H x W x D)	183 x 92 x 8.6mm (7.20 x 3.62 x 0.34in.)
Weight	71.1g (2.51oz.)
Mounting	European Union standard plastic or metal backbox with 60mm (2.36 in.) mounting holes

### Compatibility

Hardware Compatibility	NUxx-HE series modules
------------------------	------------------------

### Environmental

Operating temperature:	0°C to 50°C (32°F to 122°F)
Storage temperature:	-25°C to 55°C (-13°F to 131°F)
Relative Humidity:	30 to 95% (non condensing)

### Regulatory Compliance EU/EFTA

	The following complies with the relevant dates and amendments of all the following standards (valid references to dates and amendments are stated in the Declaration of Conformity): RoHS, REACH
---	--

### Accessories

Accessories	Single frame NUF1U-HE
	Spacer NUSP1-HE
	Dual mounting plate cable 660678

*Specifications are subject to change without notice*

**Ascom (Sweden) AB**

Grimbodalen 2

SE-417 49 Göteborg

Sweden

Phone +46 31 55 93 00

[www.ascom.com](http://www.ascom.com)

**ascom**